


Cruickshank Trailers Ltd

Unit 10
Horn Park Quarry Business Park
Beaminster
Dorset. DT8 3PT



Tel: 01308 867800 Fax: 01308 867801

email:sales@cruickshanktrailers.co.uk
www.cruickshanktrailers.co.uk



GENERAL COMPONENTS PRICE LIST JUNE 2008

RUBBER SUSPENSION UNITS

Carrying capacity is per pair and the weight of the unladen trailer should be taken into account when calculating capacity required.

These are high quality suspension units with shaped casings and forged, or solid drop arms. They should not be confused with suspension units with hollow box section drop arms.

UNITS WITH STUB AXLE ALTERNATIVES TO SUIT ONE OF THE FOLLOWING:-

Trailer hub and Mini or Ford wheel/trailer hub and new wheel

			£		VAT incl
350kg/7cwt	"	"	36.28	pair	42.63
550kg/11cwt	"	"	43.20	"	50.76
750kg/15cwt	"	"	55.56	"	65.29
Trailer hub for above suspension units 4 stud 4" PCD 3/8 studs			10.00	each	11.75
Trailer hub for above suspension units 4 stud 100mm PCD 12mm studs or Ford Fitting 4 stud 12mm studs			15.00	"	17.63

UNITS WITH AUTO-REVERSE BRAKES AND CABLES

Price includes compensator

750kg/15cwt for 10" wheels			168.00	pair	197.40
1300kg/25cwt for 13" wheels			200.00	"	235.00
1500kg/30cwt for 13" wheels			228.00	"	267.90

We can supply replacement brake shoes, spring kits, bearings and cables for all the above suspension units.

AXLE BEAMS

Complete axle beams up to 1800kg/35cwt per axle are available to order.

SUSPENSION MOUNTING PLATES

7/10cwt			2.00	each	2.35
15/20/25/30cwt			2.50	"	2.94

WHEEL RIMS

2.5 x8 4 stud 4" or 100mm P.C.D.			7.00	each	8.23
3.5 x10 4 stud 4" or 100mm P.C.D. Centre nave			11.00	"	12.93
3.5 x10 4 stud 5.5" P.C.D. Centre nave			11.00	"	12.93
4.5J x13 4 stud 5.5" P.C.D.			16.00	"	18.80
4.5J x13 4 stud 100mm P.C.D.			16.00	"	18.80

WHEELS AND TYRES

For Highway Use

	£		VAT incl
400x8 4 ply tyre and wheel 4 stud 4" P.C.D or 100mm P.C.D	12.00	each	14.10
400x8 6 ply tyre and wheel 4 stud 4" P.C.D.	14.00	"	16.45
20.5x8x10 4 ply tyre and wheel 4 stud 4" or 100mm P.C.D.	52.00	"	61.10
5.00x10 4 ply tyre and wheel 4 stud 4" or 100mm P.C.D.	21.00	"	24.68
5.00x10 6 ply tyre and wheel 4 stud 4" or 100mm P.C.D.	25.00	"	29.38
145x10 4 ply tyre and wheel 4 stud 4" or 100mm P.C.D.	26.00	"	30.55
145x10 8 ply tyre and wheel 4 stud 5.5" P.C.D.	38.00	"	44.65
155x70Rx12 tyre and wheel 5 stud 6.5" P.C.D.	69.00	"	81.07
155x13 tyre and wheel 4 stud 5.5" P.C.D.	43.00	"	50.52
165x13 8 ply tyre and wheel 4 stud 5.5" P.C.D.	46.00	"	54.05
185x13 tyre and wheel 5 stud 6.5" P.C.D.	75.00	"	88.12
195x50Rx13 tyre and wheel 5 stud 6.5" P.C.D.	74.00	"	86.95

LAUNCHING TROLLEY WHEELS

Low speed use only

10"x 3.5" wheel. Solid rubber tyre. Nylon centre 1" bore	6.50	each	7.64
16" Pneumatic tyre on nylon wheel. 1" bore	8.50	"	9.99
16" Pneumatic tyre on steel wheel. 1" bore	9.50	"	11.16

HUB GREASE

General purpose 500gm	5.00	each	5.88
-----------------------	------	------	------

COUPLINGS FOR UNBRAKED TRAILERS

Pressed steel coupling 750kg capacity	10.00	each	11.75
Bradley cast coupling 750kg (15cwt) capacity	20.00	"	23.50

LOCKS

Lock for pressed steel couplings	6.00	each	7.05
Barrel lock for Bradley cast couplings	10.00	"	11.75
50mm tow ball lock. Expanding ball	11.20	"	13.16
Bulldog Hitch lock for all coupling types	72.00	"	84.60
Bulldog Titan Wheel Clamps	93.00	"	109.28

SPRING OVERRUN COUPLINGS OBTAINABLE TO ORDER

1500kg 30cwt capacity	110.00	each	129.25
2250kg 40cwt capacity	114.00	"	133.95
3000kg 60cwt capacity	140.00	"	164.50
Delta adaptor plate 30/40cwt	11.50	each	13.51
Delta adaptor plate 60cwt	11.50	"	13.51

KNOTT COUPLINGS

PRESSED STEEL BODY & CAST 50MM HEAD WITH LOCK. AUTO-REVERSE BRAKES

Capacity Range

750 – 1300kg	to fit 70mm square tube	120.00	each	141.00
1100 – 2000kg	to fit 80mm square tube	130.00	"	152.75
1600 – 3000kg	to fit 80mm square tube	145.00	"	170.38

CAST STEEL BODY & CAST 50MM HEAD WITH LOCK. AUTO-REVERSE BRAKES

Capacity Range

750 – 1400kg	Delta Fitting	120.00	each	141.00
1400 – 2700kg	Delta Fitting	130.00	"	152.75
2700 – 3500kg	Delta Fitting	180.00	"	211.50

BRADLEY HYDRAULICALLY DAMPED COUPLINGS AUTO REVERSE BRAKES

Heavy duty couplings with cast body and 50mm head, plus integral bracket for jockey wheel Delta shape for 'A' frame mounting.

Capacity Range	£		VAT incl
850 – 1700kg	152.00	each	178.60
1650 – 2600kg	181.00	“	212.68
2220 – 3500kg	260.00	“	305.50

Other options are available to order, including 30mm, 40mm, and 50mm eyes.
We stock replacement parts for the couplings listed and many others.
Complete replacement Alko and Knott couplings are also available, often from stock.

COUPLING ACCESSORIES

Knott Breakaway Cable	5.00	each	5.88
Bradley Breakaway Cable	6.00	“	7.05
Farm Power Breakaway Cable	2.50	“	2.94

BALL BRACKETS, JAWS, DROP PLATES, BALL COVERS, SPACERS

50mm ball zinc plated E.C. Approved	6.50	each	7.64
Plastic boot ball cover	2.20	“	2.59
Combined ball, pin and jaw assembly 1500kg	18.50	“	21.73
Combined ball, pin and jaw assembly 3500kg Dixon Bate	45.00	“	52.88

DROP PLATES, SPACERS

2" drop plate Zinc plated	4.00	each	4.70
3" drop plate Zinc plated	4.50	“	5.28
4" drop plate Zinc plated	4.80	“	5.64
½" spacer	4.00	“	4.70
1" spacer	4.80	“	5.64
1.5" spacer	5.60	“	6.58

MUDGUARDS

Tyre sizes are included as a guide to selection. Due to manufacturing tolerances sizes stated are approximate.

POLYTHENE

TYRE SIZE	WIDTH	LENGTH		
400x8	5.5"	19"	8.00	pair 9.40
145x10	7"	23"	11.00	“ 12.93
13"/14"	8"	30"	14.00	“ 16.45

POLYTHENE TANDEM

TYRE SIZE	WIDTH	LENGTH		
13"	7"	59"	29.00	pair 34.07
13"/14"	8"	56"	32.00	“ 37.60
600x16	8"	69"	35.00	“ 41.13

BRAKE SHOES AND CABLES

Knott 165 x 35 Auto Reverse brake shoes	45.00	Axle Set	52.87
Knott 203 x 40 Auto Reverse brake shoes	45.00	“	52.87
Knott 200 x 50 Auto Reverse brake shoes	42.00	“	49.35
Knott 250 x 40 Auto Reverse brake shoes	55.00	“	64.62
Alko 200 x 50 Auto Reverse brake shoes	42.00	“	49.35
Alko 160 x 35 Auto Reverse brake shoes	37.00	“	43.48
Knott brake cables	11.00	each	12.93
Alko cables	11.00	“	12.93

Old Lockheed standard and auto-reverse shoes are still available to order. Please enquire.

LIGHTING EQUIPMENT

Lights and Lenses

	£		VAT incl
Square rear light – Combined stop, tail and indicator	3.25	each	3.81
Britax square rear light – Combined stop, tail and indicator	4.50	“	5.28
Britax rectangular rear light – Combined stop, tail and indicator	4.50	“	5.28
Britax oval rear light – Combined stop, tail and indicator	9.25	“	10.86
Combined stop, tail, indicator and fog light Horizontal/Vertical	7.60	“	8.93
Rear fog light small	3.25	“	3.81
Rear fog light large	4.75	“	5.58
Small number plate light	3.25	“	3.81
Large number plate light	4.00	“	4.30
Front marker light	4.00	“	4.30
Rubber side marker light	7.50	“	8.81
Rubber front marker light	6.50	“	7.63
Reflective triangle	0.60	“	0.71
Reflective triangle with white surround	0.60	“	0.71
We keep a large range of spare lenses in stock			

Plugs and Sockets

Plastic 7 pin plug 12N	1.10	each	1.29
Plastic 7 pin socket 12N	1.60	“	1.88
Metal 7 pin plug 12N	2.70	“	3.17
Metal 7 pin socket 12N	2.70	“	3.17
Plastic 7 pin plug 12S	1.10	“	1.29
Plastic 7 pin socket 12S	1.60	“	1.88
Socket mounting plate	1.25	“	1.47
Double socket mounting plate	1.50	“	1.76
Socket seal	0.40	“	0.47
Socket cover	0.80	“	0.94

Wiring and Connectors

7 core cable	2.00	metre	2.35
2 core cable	1.00	“	1.17
Rubber junction box	7.00	each	8.22
Small junction box	4.00	“	4.70
Scotchlock connector	0.10	“	0.11
Nylon cable clips	0.05	“	0.06

Lighting Boards

3ft lighting board 4 metres cable no triangle	11.66	each	13.70
4ft lighting board 6 metres cable	14.00	“	16.45
4ft lighting board 10 metres cable	16.00	“	18.80
4ft lighting board with fog light 6 metres cable	18.00	“	21.15
4.5ft lighting board with fog light 8 metres cable	20.00	“	23.50
5ft lighting board with fog light 10 metres cable	19.00	“	22.33
6ft lighting board with fog light 10 metres cable	21.00	“	24.68
Spare lenses are available for lighting boards			

WHEEL BEARINGS

4T-L44643/L44610 bearing	5.00	each	5.87
4T-L44643L/L44610 bearing and seal	5.60	“	6.58
4T-L44649/L44610 bearing	5.60	“	6.58
4T-LM67048/LM67010 bearing	10.00	“	11.75
4T-LM67048L/LM67010 bearing and seal	10.50	“	12.33
4T-LM48548/LM48510 bearing	9.50	“	11.16
4T-LM48548L/LM48510 bearing and seal	10.00	“	11.75
4T-18590/18520 bearing	9.00	“	10.57
TU0802-5LLX/L290 bearing (IW)	15.00	“	17.62
Please enquire for other sizes and seals			

TELESCOPIC JOCKEY WHEELS. NO CLAMPING BRACKET

	£		VAT incl
35mm General duty	16.00	each	18.80
42mm General duty	16.70	"	19.62
42mm standard duty with bracket	13.50	"	15.86
43mm Bradley Capacity 100kg	27.60	"	32.43
48mm General duty	21.00	"	24.67
48mm standard duty with bracket	14.00	"	16.45
48mm Bradley Capacity 150kg	28.70	"	33.72
48mm standard duty with bracket & pneumatic tyre	17.50	"	20.56
48mm Serrated Capacity 350kg	25.00	"	29.37
Spare wheels and clamping brackets are available for the above jockey wheels			

PROP STANDS

18" prop stand 34mm	5.50	each	6.46
24" prop stand 34mm	6.00	"	7.05
24" prop stand 42mm	6.50	"	7.64

CLAMPING BRACKETS FOR JOCKEY WHEELS AND PROP STANDS

34mm Knott pressed steel bracket	5.00	each	5.87
42mm Knott pressed steel bracket	5.00	"	5.87
48mm Knott pressed steel bracket	5.00	"	5.87
34mm Bradley cast bracket	11.00	"	12.93
43mm Bradley cast bracket	13.00	"	15.28
48mm Bradley cast bracket	18.00	"	21.15

ANTILUCES, PLATES, GUDGEON PINS, HINGES AND ROPE HOOKS

Small weld on antiluce fastener	1.30	each	1.53
Large weld on antiluce fastener	1.40	"	1.65
Small bolt on antiluce fastener	1.40	"	1.65
Large bolt on antiluce fastener	1.75	"	2.05
Plate for large antiluce	1.40	"	1.65
Spring ring cotter and chain with weld on peg	1.90	"	2.23
Weld on hinge pin	1.10	"	1.29
Small bolt on hinge pin	1.10	"	1.29
6"x1.25"x.25" straight hinge	1.50	"	1.76
18"x1.25"x.25" straight hinge	1.60	"	1.88
Light pressed steel rope hook (plated)	0.40	"	0.47
Rope hook Plated	1.10	"	1.29
Large Rope hook Plated (Large plated bolt on)	1.90	"	2.23
Weld on rope hook	0.95	"	1.12
Spring bolt	3.85	"	4.52
Recessed lashing rings Galvanised	3.85	"	4.52

WINCHES

Capacity is based on direct pull on the first layer of the drum. Capacity is reduced as line builds up on the drum.

WINCHES FOR USE WITH CABLE OR STRAP NOT INCLUDED

270kg 600lb	15.00	each	17.63
400kg 900lb	18.00	"	21.15
500kg 1100lb	21.00	"	24.68
635kg 1400lb	27.00	"	31.73
727kg 1600lb	35.00	"	41.13
818kg 1800lb	41.00	"	48.18
909kg 2000lb 2 Speed	56.00	"	65.80
1136kg 2500lb 2 speed	72.00	"	84.60
4.6 metre 15ft strap with hook and bolt for 600lb and 900lb winches	11.00	"	12.93
7.7 metre 25ft strap with hook and bolt for 1100lb and 2500lb winches	13.00	"	15.28
Spare handles and repair kits usually in stock			

SAFETY WINCHES WITH BRAKE

	£		VAT incl
2000kg with wire	262.00	each	307.85
3000kg with wire	296.00	"	347.68

BOAT TRAILER EQUIPMENT

Roller	Length	Bore			
Keel Roller	91mm	10mm	2.00	each	2.35
Keel Roller	127mm	16mm	2.50	"	2.94
Keel Roller	127mm	19mm	2.50	"	2.94
V Roller	127mm	16mm	2.50	"	2.94
V Roller	127mm	19mm	2.50	"	2.94
Parallel Roller	203mm	16mm	4.50	"	5.28
Castor Roller	48mm	19mm	2.50	"	2.94
Double Side Roller	120mm	16mm	4.00	"	4.70

BLOCKS AND BUFFERS

Keel block 152mm 2 bolt fixing	2.50	each	2.93
Snubber 304mm	2.50	"	2.93
Side buffer 460mm 4 bolt fixing	3.50	"	4.11

ROLLER ASSEMBLIES

Keel Roller 91mm with bracket	6.00	each	7.05
Keel Roller 127mm with bracket	7.50	"	8.81
Roller 127mm with bracket	7.50	"	8.81
Parallel Roller 203mm with bracket	12.00	"	14.10
2 Castor Rollers with bracket	12.00	"	14.10
4 Castor Rollers with bracket	14.00	"	16.45
2 double side Rollers with bracket	15.00	"	17.62

U BOLTS AND PLATES, INCLUDING NUTS AND WASHERS

40mm U bolt	2.00	each	2.35
50mm U bolt	2.00	"	2.35
60mm / 70mm U bolt	2.00	"	2.35
80mm U bolt	2.00	"	2.35
Plates for above U bolts	1.00	"	1.17

CHOCK TUBES, CLAMPS AND BRACKETS

Chock tube 300mm long x 34mm diameter	4.20	each	4.94
Chock tube 450mm long x 34mm diameter	4.70	"	5.52
Mounting channel for 305mm rubber buffer	2.20	"	2.59
Bracket and spindle for 127mm rollers (462 or 4621)	5.00	"	5.88
Bracket and spindle for 91mm rollers	4.00	"	4.70
Bracket and spindle for 203mm parallel rollers	7.50	"	8.81
Clamp for 34mm chock tubes	5.50	"	6.46

SPARES AND EQUIPMENT IN STOCK

We specialize in parts and spares and hold one of the largest stocks in the South West. Our comprehensive stock includes brake cables – usually 200 to 300 in stock, brake shoes for most British and many European trailers and numerous small parts (750 bins) not always stocked by some trailer outlets.

DISTRIBUTORS OF PARTS FOR:

ALKO-KOBER, KNOTT AVONRIDE, BRADLEY DOUBLELOCK, MAYPOLE, DIXON-BATE, IFOR WILLIAMS, WESSEX, INDESPENSION, BATESON and PEAK

TRAILERS Several in stock a large range is available to order. Leaflets and prices on request.

